

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1608	(711/214 or 717/151 or 717/152 or 717/146 or 717/148 or 717/141 or 717/142 or 717/143 or 717/144 or 718/104)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:05
L2	338	I1 and ((physical or real or hardware or machine or CPU) with register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:40
L3	36	I2 and ((class\$9 or categor\$7 or type\$1) with (physical or real or hardware or machine or CPU) with register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:24
L4	74	I2 and ((physical or real or hardware or machine or CPU) with register\$1 with (variable\$1 or operand\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:25
L5	96	I2 and ((physical or real or hardware or machine or CPU) with register\$1 with (arithmetic or computation\$1 or operation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:17
L6	38	I4 and I5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:21
L8	12238	((class\$9 or categor\$7 or type\$1 or select\$3 or designat\$3) with (physical or real or hardware or machine or CPU) with register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:40
L9	327	I8 and (intermediate near3 (program\$1 or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:17
L10	53	I9 and ((physical or real or hardware or machine or CPU) with register\$1 with operand\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:26

L11	35	l10 and (operand\$1 with (variable\$1 or computation\$1 or arithmetic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:27
L12	25	l11 and (operand\$1 with (computation\$1 or arithmetic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:27
L13	132847	((class\$9 or categor\$7 or type\$1 or select\$3 or designat\$3) with register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:17
L14	8207	l13 and (register\$1 with operand\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:17
L15	422	l14 and (intermediate near3 (program\$1 or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:17
L16	221	l15 and (operand\$1 with (variable\$1 or arithmetic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:18
L17	170	l16 and (operand\$1 with arithmetic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:21
L18	6	l17 and l1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:18
L19	160	l17 and ((physical or real or hardware or machine or CPU) with register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:21
L20	151	l17 and ((physical or real or hardware or machine or CPU) near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:21

L21	0	I20 and (register\$1 with us\$3 with (current adj2 operation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:23
L22	144	I20 and (register\$1 near3 used)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:23
L23	8	I22 and (register\$1 near3 live)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:25
L24	9	I22 and (register\$1 with live)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:25
L25	1344	mark\$3 with register\$1 with (used or busy or live)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:30
L26	446	I25 and ((physical or real or hardware or machine or CPU) with register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:31
L27	103	I26 and (register\$1 with operand\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:31
L28	1	I27 and (operand\$1 with intermediate with (program\$1 or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:28
L29	8	I27 and (intermediate near3 (program\$1 or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:31
L30	1454	mark\$3 with register\$1 with (used or busy or live or idle or dead)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:40

L31	95	I30 same ((physical or real or hardware or machine or CPU) with register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:31
L32	16	I31 and (register\$1 with operand\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:39
L33	1	I32 and (intermediate near3 (program\$1 or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:31
L34	654	(712/217)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:39
L35	389	I34 and ((physical or real or hardware or machine or CPU) with register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:40
L36	101	I35 and ((class\$9 or categor\$7 or type\$1 or select\$3 or designat\$3) with (physical or real or hardware or machine or CPU) with register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:40
L37	5	I36 and (mark\$3 with register\$1 with (used or busy or live or idle or dead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:43
L38	2	I36 and (intermediate near5 (program\$1 or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:42
L39	34	I36 and compiler\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:42
L40	2	I39 and (mark\$3 with register\$1 with (used or busy or live or idle or dead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:43

S1	2702	(711/214 or 717/151 or 717/152 or 717/146 or 717/148 or 717/141 or 717/142 or 717/143 or 717/144 or 718/104)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:02
S2	158	S1 and ((translat\$3 or convert\$3) with source with intermediate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:05
S3	42	S2 and (register\$1 with operand\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:04
S4	24	S3 and (((machine with readable) or executable) with code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:06
S5	20	S4 and (optimiz\$5 with intermediate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:14
S8	381	S1 and ((physical or real or hardware) with register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:05
S9	5	S5 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:19
S10	23	S1 and (operand\$1 with (real or physical) with register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:20
S11	1	S10 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:20
S12	2	S10 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:21

S13	2177	(translat\$3 or convert\$3) with source with intermediate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:08
S14	112178	(select\$3 or choos\$3 or chose\$1 or assign\$4 or designat\$3) with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:07
S15	6596	(stor\$3 or sav\$3 or writ\$3) with operand\$1 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:07
S16	200	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:08
S17	46	S16 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:08
S18	298	S15 same ((real or physical) near3 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:13
S19	2	S17 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:09
S20	2	S18 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:13
S21	266	S15 same ((real or physical) near2 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:18
S22	217	S15 same ((real or physical) adj1 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:18

S23	105	S15 with ((real or physical) adj1 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:35
S24	2	S23 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:19
S25	4	S23 and (compil\$3 with source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:20
S26	67	("4782444").URPN.	USPAT	OR	OFF	2004/12/03 10:45
S27	19	S26 and ((real or physical\$2) with register\$1)	USPAT	OR	OFF	2004/12/03 10:46
S28	19	(US-20030079210-\$).did. or (US-6651247-\$ or US-6549930-\$ or US-6516405-\$ or US-6513109-\$ or US-6292935-\$ or US-6081880-\$ or US-5724590-\$ or US-6738967-\$ or US-5261062-\$ or US-5418958-\$ or US-5530866-\$ or US-5659754-\$ or US-5890000-\$ or US-5901317-\$ or US-5946491-\$ or US-5987259-\$ or US-6009272-\$ or US-6090156-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/12/03 11:58
S29	13	S28 and (source adj2 (file\$1 or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 11:59
S30	12	S29 and (intermediate adj3 (code or represent\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:00
S31	11	S30 and ((machine or executable) adj3 code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:00
S32	11	S31 and optimiz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:01

S33	9	S31 and (optimiz\$6 with intermediate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:01
S34	6	S33 and operands	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:02
S35	6	S34 and ((physical or real or hardware) with register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:02
S36	1608	(711/214 or 717/151 or 717/152 or 717/146 or 717/148 or 717/141 or 717/142 or 717/143 or 717/144 or 718/104)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:59
S37	231	S36 and ((physical or real or hardware) with register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:02
S38	47	S37 and ((select\$3 or designat\$3 or assign\$4 or choos\$3 or chos\$2) with (physical or real or hardware) with register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:01
S39	6	S38 and (register\$1 with operand\$1 with (variable\$1 or computation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:02